L Number	Hits	Search Text	DB	Time stamp
- I IVANIDEL	2	5757669.PN.	USPAT;	2004/07/12 09:39
	_		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_ ′	2	5557320.PN.	USPAT;	2004/07/12 09:43
	_		US-PGPUB;	
:			EPO; JPO;	l
			DERWENT;	
			IBM TDB	1
-	1612	((message mail) near5 (system platform	USPAT;	2004/07/12 14:39
		application)) and ((prevent\$5 control\$5	US-PGPUB;	
		implement\$5 apply\$5 limit\$5) near5	EPO; JPO;	
İ		(overload\$5 excess\$5 threshold\$5)) and (SLA	DERWENT;	
		(service adj level adj criteria) class	IBM_TDB	
!		(service adj level) (service adj categor\$5))		
-	120	((message mail) near5 (system platform	USPAT;	2004/07/12 15:46
		application)) and ((prevent\$5 control\$5	US-PGPUB;	
		implement\$5 apply\$5 limit\$5) near5	EPO; JPO;	
:		(overload\$5 excess\$5 threshold\$5))same(SLA	DERWENT;	
		(service adj level adj criteria) class	IBM_TDB	
		(service adj level) (service adj categor\$5))		0004/5-1
-	79	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/07/12 10:08
		application)) and ((prevent\$5 control\$5	US-PGPUB;	
		implement\$5 apply\$5 limit\$5) near5	EPO; JPO;	
		(overload\$5 excess\$5 threshold\$5))same(SLA	DERWENT;	
		(service adj level adj criteria) class	IBM_TDB	
		(service adj level) (service adj categor\$5))		0004/07/10 10 56
-	122	((messag\$5 mail) near5 (system platform	USPAT;	2004/07/12 10:56
		application)) and ((prevent\$5 control\$5	US-PGPUB;	
		implement\$5 apply\$5 limit\$5) near5	EPO; JPO;	
		(overload\$5 excess\$5 threshold\$5))same(SLA	DERWENT;	
		(service adj level adj criteria) class	IBM_TDB	
1	1005	(service adj level) (service adj categor\$5))	HCDAT.	2004/07/12 10:57
_	1925		USPAT; US-PGPUB;	2004/07/12 10:57
		messga\$5) near10 (system platform)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	14048	(manaq\$5 monitor\$5) near10 (email e-mail	USPAT;	2004/07/12 10:58
	14040	messag\$5) near10 (system platform)	US-PGPUB;	2001,01,12 10130
		messages, nearto (byseem practorm)	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
_	1270	(manag\$5 monitor\$5) adj (email e-mail	USPAT;	2004/07/12 11:00
		messag\$5) near10 (system platform)	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	1
			IBM_TDB	
-	117	(manag\$5 monitor\$5) adj (email e-mail	USPAT;	2004/07/12 11:33
		messag\$5) adj (system platform)	US-PGPUB;	*
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11	(overload\$5 near15 control\$5) same ((email	USPAT;	2004/07/12 11:55
		e-mail messag\$5) adj (system platform))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		, , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	0004/07/27
_	1515	(overload\$5 limit\$5 deny\$5 near15 control\$5)	USPAT;	2004/07/12 11:55
		same ((email e-mail messag\$5) adj (system	US-PGPUB;	
		platform))	EPO; JPO;	
			DERWENT;	
	2.55	/	IBM_TDB	2004/07/32 55 55
-	3604	(overload\$5 limit\$5 manag\$5 monitor\$5 near15	USPAT;	2004/07/12 11:56
		control\$5) same ((email e-mail messag\$5) adj	US-PGPUB;	
	1	(system platform))	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	

•				
-	4347	(overload\$5 limit\$5 manag\$5 monitor\$5 access\$5 near3 control\$5) same ((email	USPAT; US-PGPUB;	2004/07/12 11:56
		e-mail messag\$5) adj (system platform))	EPO; JPO; DERWENT; IBM TDB	
-	207	((overload\$5 manag\$5 monitor\$5 access\$5) adj control\$5) same ((email e-mail messag\$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 11:57
-	214	((overload\$5 limit\$5 manag\$5 monitor\$5 access\$5) adj control\$5) same ((email e-mail messag\$5) adj (system platform))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 12:31
-	3	(overload\$5 adj control\$5) same ((email e-mail messag\$5) adj (system platform))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 12:32
-	0	(threshold adj control\$5) same ((email e-mail messag\$5) adj (system platform))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 12:32
-	10	(load adj control\$5) same ((email e-mail messag\$5) adj (system platform))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 12:34
-	0	(control\$5 adj criteria) same ((email e-mail messag\$5) adj (system platform))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/12 12:34
_	8	(service adj class\$5) same ((email e-mail messag\$5) adj (system platform))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/12 12:47
-	1	((overload\$5) near2 (controller means limit\$5)) same ((email e-mail messag\$5) adj (system platform))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 12:49
-	15	<pre>((mailbox) near2 (controller means limit\$5)) same ((email e-mail messag\$5) adj (system platform))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 13:37
-	15	<pre>((mailbox) near2 (controller means limit\$5 (fill adj level adj threshold))) same ((email e-mail messag\$5) adj (system platform))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 13:41
-	2	<pre>((mailbox) and (fill adj level adj threshold)) same ((email e-mail messag\$5) adj (system platform))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 13:41
_	0	(mailbox) and (fill adj level adj threshold) and ((refus\$5 den\$y\$5) near5 (access))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/12 13:43
-	188	(mailbox) and (threshold) and ((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5 (access))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 14:29
			IBM_TDB	

•				
-	65	(mailbox) and (exceed\$5 increas\$5 decreas\$5 (going adj over)) near5 (threshold) and	USPAT; US-PGPUB;	2004/07/12 13:49
		((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5 (access))	EPO; JPO; DERWENT;	
	0	(mailbox) near5(exceed\$5 increas\$5 decreas\$5	IBM_TDB USPAT;	2004/07/12 13:49
-		(going adj over)) near5 (threshold) and	US-PGPUB;	2001/01/12 13:13
		((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5	EPO; JPO;	
		(access))	DERWENT; IBM TDB	
_	о	(mailbox) near5(size) near5 (threshold) and	USPĀT;	2004/07/12 13:50
		((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5	US-PGPUB; EPO; JPO;	
		(access))	DERWENT;	
			IBM_TDB	0004/05/10 10 50
-	1	<pre>(mailbox) near5 (threshold) and ((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5 (access))</pre>	USPAT; US-PGPUB;	2004/07/12 13:53
		dentyta prevencta scopta, nears (decess,	EPO; JPO;	
	:		DERWENT;	
_	4	(set\$6 establish\$5 provid\$5 implement\$5)	IBM_TDB USPAT;	2004/07/12 13:56
		near10 (mailbox) near5 (threshold size (fill	US-PGPUB;	
		adj level)) and ((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5 (access))	EPO; JPO; DERWENT;	
		scopss/ nears (access//	IBM_TDB	
-	40		USPAT;	2004/07/12 15:31
		near10 (mailbox) near5 (threshold size (fill adj level))	US-PGPUB; EPO; JPO;	
		, deg = 2.7.52,,	DERWENT;	
	62	(set\$6 establish\$5 provid\$5 implement\$5)	IBM_TDB USPAT;	2004/07/12 14:26
_	02	near10 (e-mail) near5 (threshold size (fill	US-PGPUB;	2004/07/12 14:20
		adj level))	EPO; JPO;	
			DERWENT; IBM TDB	
-	0	(set\$6 establish\$5 provid\$5 implement\$5)	USPAT;	2004/07/12 14:27
		near10 (e-mail) near10 (SLA (service adj criteria) (service adj level adj agreement))	US-PGPUB; EPO; JPO;	
		Criteria, (Service ad) level adj agreement,	DERWENT;	
		(, , , , , , , , , , , , , , , , , , ,	IBM_TDB	2004/07/12 14:27
-	0	(set\$6 establish\$5 provid\$5 implement\$5) near10 (mailbox) near10 (SLA (service adj	USPAT; US-PGPUB;	2004/07/12 14:27
		criteria) (service adj level adj agreement))	EPO; JPO;	
			DERWENT; IBM TDB	
_	0	(mailbox) near10 (SLA (service adj criteria)	USPAT;	2004/07/12 14:28
		(service adj level adj agreement))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	0001/07/22
-	5	(email) near10 (SLA (service adj criteria) (service adj level adj agreement))	USPAT; US-PGPUB;	2004/07/12 14:28
		(Section and Total and agreement)	EPO; JPO;	
			DERWENT; IBM TDB	
_	0	((refus\$5 den\$y\$5 prevent\$5 stop\$5) near5	USPAT;	2004/07/12 14:30
		(access)) near10 (mailbox) near5 (exceed\$5)	US-PGPUB;	
		near10 (threshold)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	((refus\$5 den\$y\$5 prevent\$5 stop\$5 limit\$5) near5 (access)) near10 (mailbox) near5	USPAT; US-PGPUB;	2004/07/12 14:30
		(exceed\$5) near10 (threshold)	EPO; JPO;	
			DERWENT;	
_	0	((refus\$5 den\$y\$5 prevent\$5 stop\$5 limit\$5)	IBM_TDB USPAT;	2004/07/12 14:30
		near5 (access)) near10 (mailbox) near10	US-PGPUB;	
		(threshold)	EPO; JPO; DERWENT;	
			IBM_TDB	

•				
-	0	((refus\$5 deny\$5 prevent\$5 stop\$5 limit\$5)	USPAT;	2004/07/12 14:31
1		near5 (access)) near10 (mailbox) near10	US-PGPUB; EPO; JPO;	
		(threshold)	DERWENT;	
			IBM TDB	
_	72	((refus\$5 deny\$5 prevent\$5 stop\$5 limit\$5)	USPAT;	2004/07/12 14:31
		near5 (access)) near10 (mailbox)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	21	709/206,207.ccls. and ((message mail) near5	USPAT;	2004/07/12 15:17
	21	(system platform application)) and	US-PGPUB;	,,
		((prevent\$5 control\$5 implement\$5 apply\$5	EPO; JPO;	
		limit\$5) near5 (overload\$5 excess\$5	DERWENT;	
		threshold\$5)) and (SLA (service adj level	IBM_TDB	9
		adj criteria) class (service adj level) (service adj categor\$5))		
_	3	5948058.pn.	USPAT;	2004/07/12 15:18
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2	6052709.pn.	IBM_TDB USPAT;	2004/07/12 15:20
		, 0002, 00. pm.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2	6072942.pn.	IBM_TDB USPAT;	2004/07/12 15:21
-	2	00/2342.pm.	US-PGPUB;	2004/01/12 13.21
:			EPO; JPO;	
			DERWENT;	
		5000103	IBM_TDB	2004/07/12 15-27
-	2	6092103.pn.	USPAT; US-PGPUB;	2004/07/12 15:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	((monitor\$5 manag\$5) near10 (subscriber\$5) near10 (email mailboxes)) and (overload)	USPAT; US-PGPUB;	2004/07/12 15:28
		meario (email maliboxes)) and (overload)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(set\$6 establish\$5 provid\$5 implement\$5)	USPAT;	2004/07/12 15:32
		near10 (subscriber\$5) near10 (email mailboxes) near5 (threshold size (fill adj	US-PGPUB; EPO; JPO;	
		level))	DERWENT;	
			IBM_TDB	
-	1	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	USPAT;	2004/07/12 15:33
		(email mailboxes) near5 (threshold size (fill adj level))	US-PGPUB; EPO; JPO;	
		(IIII day ICVCI//	DERWENT;	
			IBM_TDB	
-	8	(chang\$5)near10 (email mailboxes) near5	USPAT;	2004/07/12 15:42
		(threshold size (fill adj level))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	1	, ,	USPAT;	2004/07/12 15:43
		(threshold) near5 (fill adj level)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	2		USPAT;	2004/07/12 15:43
		(fill adj level)	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT; IBM TDB	
-	2	(email mailboxes) near5 (fill adj level)	USPAT;	2004/07/12 15:43
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT; IBM TDB	
	I	l	1	1

,				
-	33359	(message mail email mailbox) near5 (system	USPAT; US-PGPUB; EPO; JPO;	2004/07/12 15:45
		platform application)	DERWENT; IBM_TDB	
-	3507	<pre>(manag\$5 monitor\$5 control\$6)adj (message mail email mailbox) near5 (system platform application)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 15:45
-	262	<pre>(manag\$5 monitor\$5 control\$6)adj (message mail email mailbox) adj (system platform application)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 15:46
-	54	((manag\$5 monitor\$5 control\$6)adj (message mail email mailbox) near5 (system platform application)) and (overload\$5 excess\$5 threshold\$5)same(SLA (service adj level adj criteria) class (service adj level) (service adj categor\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:57
-	0	(protect\$5 sav\$6) near5 (email) near5 (overload flood)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 15:58
-	20	(email) near5 (overload flood)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 16:02
-	0	(email) near5 (overload flood) near10 (control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 16:03
-	70	(email) near5 (overload access) near10 (control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 16:09
-	97	(control) near10 (email) near5 (overload access)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 16:09
-	0	(control) near10 (email) near5 (overload)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 16:09
-	97	(control) near10 (email) near5 (access)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 16:09
-	0	(control) near10 (email) near5 (access) near10 (based) near10 (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 16:10
-	2	(control) near10 (email) near5 (access) near10 (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 16:11
-	8	(email) near5 (access) near10 (threshold)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/12 16:11

-	0	(email) near5 (subscript\$6) near10	USPAT;	2004/07/12 16:12
		(threshold)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	5	(email) near5 (subscript\$6) near10 (level	USPAT;	2004/07/12 16:12
		criteria rule)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	51	(email) near5 (subscript\$6 servic\$5) near10	USPAT;	2004/07/12 16:13
		(level criteria rule)	US-PGPUB;	
		,,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	75	(email) near5 (subscript\$6 servic\$5) near10	USPAT;	2004/07/12 16:20
		(level criteria rule class)	US-PGPUB:	1
		,,	EPO; JPO;]
			DERWENT;	
			IBM TDB	
_	9428	((service subscri\$7) near10 (class\$5	USPAT;	2004/07/12 16:22
		cetegor\$6 level\$5 part\$5)) same (fill	US-PGPUB;	
		threshold limit frequency occurance)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	425	(mailbox email e-mail voicemail) and	USPAT;	2004/07/12 16:24
		(((service subscri\$7) adj (class\$5 categor\$6	US-PGPUB;	,,
		level\$5 part\$5)) same (fill threshold limit	EPO; JPO;	
		frequency occurance))	DERWENT:	
			IBM TDB	
_	41	(mailbox email e-mail voicemail) same	USPAT;	2004/07/12 16:24
	**	(((service subscri\$7) adj (class\$5 categor\$6	US-PGPUB;	=====
		level\$5 part\$5)) same (fill threshold limit	EPO; JPO;	
		frequency occurance))	DERWENT;	
		Licquone, occurance,	IBM TDB	
L	L	<u> </u>	100	